


































































































































































Last Updated: 24th-June-08















Cert.	Carats	Color	Clarity	Prop.	Pol.	Fin.	Fluo.	Table	Crown	Pav.	Dia.Min	Dia.Max	Height	rap-%	net/ct	rap
	ROUNDS (6.00 - 6.99)															
	6,73	J	LC	VG	VG		SLIGHT	60,0	14,0	44,5	12,13	12,22	7,51	+25	37125	29700
	ROUNDS (5.00 - 5.99)															
	5,01	J	SI 1	VG	VG		STRONG	59,0	15,0	44,5	10,77	10,88	6,89	23	13321	17300
543	ROUNDS (4.00 - 4.99)															
	4,02	G	SI 1	G	VG		SLIGHT	59,0	15,5	44,5	9,84	9,95	6,46	20	17200	21500
	4,03	H	VVS 2	G	G		NIL	68,0	10,0	45,0	10,49	10,66	6,11	18	27962	34100
	4,65	H	SI 1	VG	G		NIL	65,0	11,0	43,0	11,15	11,18	6,30	3	18333	18900
	4,10	I	VVS 1	VG	VG		NIL	61,0	12,0	44,5	10,52	10,59	6,26	+2	26928	26400
	4,05	I	VVS 2	G	VG		NIL	67,0	12,0	44,0	10,42	10,55	6,08	18	20746	25300
	4,04	I	VS 2	VG	G		NIL	59,0	14,0	43,0	10,14	10,28	6,27	3	19788	20400
	4,42	J	VS 1	VG	G		MEDIUM	65,0	11,5	45,0	10,87	10,95	6,32	13	16443	18900
	4,03	K	VVS 2	VG	G		NIL	62,0	12,5	43,0	10,43	10,55	6,11	8	15732	17100
	ROUNDS (3.00 - 3.99)							320								
	3,01	H	VS 2	G	VG		NIL	61,0	13,5	43,5	9,17	9,21	5,69	8	15916	17300
	3,01	I	IF	VG	VG	VG	NONE	58,5	15,0	45,0	8,98	9,05	5,85	18	15170	18500
	3,01	I	VS 2	VG	G		STRONG	58,0	13,5	43,5	9,28	9,38	5,65	25	9900	13200
	3,19	J	LC	VG	VG		NIL	62,0	12,5	43,5	9,65	9,72	5,68	8	13800	15000
	ROUNDS (2.00 - 2.99)							232								
	2,12	G	LC	VG	G		NIL	62,0	12,0	44,0	8,38	8,52	4,93	14	17888	20800
	2,07	G	VS 1	VG	G		NIL	58,0	15,0	42,5	8,12	8,16	5,04	23	12705	16500
	2,01	G	VS 1	VG	VG	VG	RY SLIG	59,0	15,0	43,5	8,04	8,19	5,00	21	13035	16500
	2,17	G	SI 1	EX	EX	EX	SLIGHT	55,5	15,5	43,0	8,42	8,44	5,12	27	8541	11700
	2,01	G	SI 1	EX	EX	VG	NONE	58,0	15,5	44,5	7,98	8,05	5,07	24	8892	11700
	2,14	H	IF	EX	VG	VG	RY SLIG	62,0	12,0	44,5	8,41	8,51	5,00	15	13770	16200
	2,01	H	VS 1	VG	G		NIL	62,0	12,5	43,5	8,13	8,20	4,87	21	10507	13300
	2,20	H	VS 2	VG	VG	VG	NONE	63,2	14,5	44,5	8,20	8,25	5,20	22	9672	12400
	2,14	H	VS 2	VG	G		MEDIUM	50,0	13,0	44,5	6,35	6,40	5,07	23	9548	12400
	2,12	I	VS 1	VG	G		NIL	62,0	13,5	44,0	8,24	8,32	5,04	17	9130	11000
	2,01	I	VS 1	G	VG		NIL	59,0	15,5	43,5	7,85	7,95	5,04	30	7700	11000
	2,07	I	VS 2	VG	VG		NIL	58,0	15,5	43,5	8,00	8,09	5,08	18	8364	10200
	2,04	I	VS 2	VG	VG		MEDIUM	63,0	12,5	44,0	8,27	8,34	4,91	19	8262	10200
	2,41	I	SI 1	VG	VG		SLIGHT	56,0	16,0	43,0	8,42	8,47	5,38	21	7189	9100
	2,05	J	VVS 1	VG	VG		SLIGHT	61,0	12,5	44,5	8,20	8,36	4,94	13	8787	10100
	2,09	J	SI 1	EX	VG	EX	NONE	61,0	13,5	44,5	8,22	8,24	5,04	25	5625	7500
	2,04	K	IF	EX	VG	VG	NONE	61,5	12,5	43,5	8,36	8,43	4,88	25	7050	9400
	2,00	K	VVS 2	VG	VG		NIL	57,0	15,0	43,5	7,99	8,06	5,01	28	6336	8800
	2,01	K	SI 1	VG	VG		NIL	58,0	14,5	43,0	8,08	8,13	4,96	30	4760	6800
	ROUNDS (1.00 - 1.99)							197								
	1,76	E	IF	VG	VG	G	SLIGHT	63,5	13,5	44,5	7,73	7,80	4,74	13	19749	22700
	1,01	E	IF	G	G	FAIR	RY SLIG	64,5	10,5	46,5	6,36	6,55	3,98	39	10248	16800
	1,00	E	IF	EX	VG	VG	NONE	61,0	14,0	44,0	6,28	6,34	3,97	16	14112	16800
	1,04	E	VVS 2	VG	VG	G	NONE	59,0	14,5	43,0	6,43	6,49	3,98	27	9855	13500
	1,03	E	VS 2	EX	EX	EX	SLIGHT	57,5	15,5	44,0	6,34	6,43	4,06	24	6612	8700
	1,01	E	VS 2	VG	G		NIL	58,0	16,5	43,0	6,12	6,18	4,06	30	6090	8700
	1,52	E	SI 1	VG	VG		NIL	64,0	12,0	43,0	7,46	7,52	4,40	31	6624	9600
	1,07	E	SI 1	VG	VG		SLIGHT	59,0	14,5	42,5	6,54	6,60	3,98	25	5175	6900
	1,00	E	SI 1	VG	VG	G	RY SLIG	58,0	14,5	44,0	6,34	6,42	3,98	27	5037	6900
	1,02	E	SI 2	VG	VG		SLIGHT	58,0	14,0	44,0	6,47	6,53	4,00	29	4189	5900
	1,01	F	VVS 1	VG	G		NIL	64,0	14,0	45,0	6,39	6,51	3,97	18	11398	13900
	1,01	F	VVS 1	VG	VG	VG	NONE	57,5	15,5	43,5	6,26	6,30	4,02	20	11120	13900
	1,01	F	VVS 2	EX	EX	EX	SLIGHT	59,0	14,5	44,0	6,36	6,42	3,99	20	9920	12400
	1,01	F	VVS 2	VG	G		NIL	64,0	12,0	42,5	6,49	6,53	3,82	18	10168	12400
	1,00	F	VVS 2	G	G	FAIR	NONE	70,0	9,5	44,0	6,45	6,56	3,80	35	8060	12400
	1,00	F	VVS 2	VG	VG		SLIGHT	64,0	12,5	42,5	6,56	6,59	3,81	15	10540	12400
	1,51	F	VS 1	VG	G		NIL	63,0	11,5	43,5	7,57	7,63	4,38	18	11562	14100
	1,50	F	VS 1	VG	VG	G	NONE	60,5	14,0	44,0	7,21	7,25	4,54	20	11280	14100
	1,01	F	VS 1	VG	VG	VG	NONE	60,0	15,0	42,5	6,25	6,30	3,95	23	7546	9800
	1,00	F	VS 2	VG	G		SLIGHT	59,0	13,5	42,5	6,38	6,43	3,88	22	6474	8300
	1,15	F	SI 1	VG	VG		SLIGHT	57,0	14,5	43,5	6,71	6,76	4,15	30	4620	6600
	1,00	F	SI 1	VG	G		SLIGHT	59,0	14,0	43,0	6,31	6,51	3,89	26	4884	6600
	1,60	G	VVS 1	VG	VG		NIL	56,0	16,0	43,5	7,41	7,46	4,68	10	11970	13300

	1,08	G	VVS 1	VG	G		SLIGHT	63,0	12,0	44,5	6,54	6,61	4,02	18	8446	10300
	1,39	G	VVS 2	VG	VG		NIL	57,0	14,5	43,0	7,17	7,27	4,40	7	9207	9900
	1,02	G	VVS 2	G	VG		NIL	58,0	15,0	45,5	6,32	6,38	4,09	22	7722	9900
	1,06	G	VS 1	VG	VG		NIL	58,0	12,5	43,0	6,62	6,66	3,95	23	6699	8700
	1,02	G	VS 1	VG	VG		MEDIUM	58,0	15,5	44,0	6,37	6,41	4,04	25	6525	8700
	1,01	G	VS 1	VG	VG	VG	NONE	57,5	15,0	44,5	6,32	6,36	4,04	23	6699	8700
	1,01	G	VS 1	G	G	G	NONE	65,5	12,0	46,5	6,34	6,43	4,03	30	6090	8700
	1,01	G	VS 1	VG	VG	VG	SLIGHT	58,0	15,5	44,0	6,26	6,30	4,03	23	6699	8700
	1,50	G	VS 2	VG	VG	VG	NONE	58,0	16,0	42,0	7,20	7,23	4,51	21	8295	10500
	1,21	G	VS 2	VG	VG	VG	NONE	58,5	15,0	44,5	6,71	6,77	4,29	21	6083	7700
	1,03	G	VS 2	VG	VG		NIL	61,0	14,0	44,0	6,38	6,42	4,01	18	6314	7700
	1,03	G	VS 2	VG	VG		MEDIUM	59,0	15,5	43,5	6,38	6,41	4,01	25	5775	7700
	1,01	G	VS 2	VG	G		NIL	65,0	11,5	43,5	6,49	6,57	3,83	24	5852	7700
	1,01	G	VS 2	VG	VG	G	NONE	54,0	16,0	41,5	6,41	6,48	3,95	23	5929	7700
	1,00	G	VS 2	EX	EX	EX	NONE	57,0	15,0	44,0	6,38	6,43	3,99	23	5929	7700
	1,51	G	SI 1	VG	VG		NIL	62,0	14,0	43,5	7,30	7,35	4,49	21	6557	8300
	1,18	G	SI 1	VG	VG		STRONG	58,0	15,0	43,5	6,65	6,74	4,22	27	4526	6200
	1,09	G	SI 1	VG	G		NIL	63,0	11,5	45,0	6,67	6,78	4,00	25	4650	6200
	1,01	G	SI 1	VG	G		STRONG	56,0	15,0	43,5	6,41	6,44	3,99	32	4216	6200
	1,01	G	SI 1	EX	VG	VG	NONE	57,5	15,5	43,5	6,33	6,41	3,00	27	4526	6200
	1,01	G	SI 2	G	VG		SLIGHT	66,0	12,0	43,0	6,33	6,40	3,87	38	3348	5400
	1,13	H	VVS 2	VG	G	G	NONE	64,5	11,5	43,5	6,82	6,88	3,95	25	6000	8000
	1,00	H	VVS 2	G	VG	VG	NONE	61,9	15,5	42,5	6,35	6,42	3,94	19	6480	8000
	1,00	H	VVS 2	EX	VG	VG	NONE	56,5	14,5	43,5	6,43	6,48	3,06	20	6400	8000
	1,94	H	VS 1	G	G	G	NONE	66,0	12,5	46,0	7,75	7,95	4,97	23	7315	9500
	1,01	H	VS 1	VG	G	VG	RY SLIG	56,5	15,5	43,5	6,33	6,35	4,01	23	5621	7300
	1,00	H	VS 1	G	VG		SLIGHT	56,0	16,0	44,5	6,27	6,30	4,05	33	4891	7300
	1,17	H	VS 2	VG	VG	VG	NONE	65,5	12,0	45,0	6,74	6,83	4,11	25	5025	6700
	1,06	H	VS 2	VG	VG	VG	NONE	59,0	15,0	44,0	6,38	6,42	4,10	23	5159	6700
	1,05	H	VS 2	VG	G	G	NONE	65,5	13,0	43,0	6,55	6,62	3,88	26	4958	6700
	1,00	H	VS 2	VG	VG	VG	RY SLIG	64,3	56,5	15,5	6,24	6,30	4,03	23	5159	6700
	1,50	H	SI 1	VG	VG	VG	STRONG	57,5	15,5	43,0	7,12	7,21	4,58	23	5929	7700
	1,14	H	SI 1	VG	VG		NIL	58,0	15,0	44,5	6,65	6,74	4,19	25	4425	5900
	1,01	H	SI 2	G	VG		NIL	60,0	15,0	43,0	6,29	6,34	3,97	40	3120	5200
	1,33	I	LC	VG	VG		STRONG	57,0	16,0	43,0	7,01	7,03	4,37	18	6150	7500
	1,01	I	LC	VG	VG		NIL	59,0	15,0	44,0	6,32	6,38	4,01	16	6300	7500
	1,01	I	VVS 1	VG	VG		MEDIUM	65,0	13,5	45,0	6,26	6,38	3,99	19	5832	7200
	1,02	I	VVS 2	G	G	FAIR	STRONG	67,0	11,0	45,0	6,47	6,58	3,91	35	4355	6700
	1,56	I	VS 2	VG	VG		NIL	59,0	14,0	44,0	7,38	7,44	4,59	21	6004	7600
	1,54	I	VS 2	EX	VG	VG	NONE	63,0	13,5	44,5	7,25	7,32	4,58	23	5852	7600
	1,50	I	VS 2	VG	VG		NIL	57,0	15,5	42,5	7,27	7,30	4,51	17	6308	7600
	1,20	I	VS 2	VG	G		STRONG	65,0	13,0	44,0	6,91	6,95	4,10	28	4176	5800
	1,11	I	VS 2	VG	VG		STRONG	58,0	14,5	44,5	6,67	6,73	4,12	28	4176	5800
	1,01	I	VS 2	G	G		NIL	56,0	16,5	42,5	6,25	6,32	4,02	35	3770	5800
	1,01	I	VS 2	VG	VG		STRONG	59,0	14,0	43,0	6,45	6,48	3,91	33	3886	5800
	1,70	I	SI 1	VG	VG		NIL	59,0	14,0	43,5	7,73	7,78	4,67	19	5508	6800
	1,52	I	SI 1	VG	VG		NIL	57,0	15,5	43,5	7,28	7,32	4,60	23	5236	6800
	1,50	I	SI 1	VG	VG		NIL	57,0	15,5	43,5	7,23	7,27	4,58	23	5236	6800
	1,15	I	SI 1	VG	VG		SLIGHT	57,0	15,0	43,5	6,62	6,71	4,15	30	3710	5300
	1,01	I	SI 1	VG	G		NIL	57,0	15,0	43,0	6,43	6,47	3,94	26	3922	5300
	1,00	I	SI 1	VG	G		NIL	55,0	15,5	44,5	6,29	6,33	4,03	30	3710	5300
	1,04	I	SI 2	VG	VG		NIL	57,0	14,5	43,0	6,59	6,63	3,99	26	3478	4700
	1,02	I	SI 2	VG	VG		MEDIUM	58,0	14,5	44,0	6,38	6,42	3,99	35	3055	4700
	1,01	I	SI 2	G	VG		NIL	60,0	15,0	42,0	6,30	6,35	3,94	36	3008	4700
	1,01	I	SI 2	VG	G		SLIGHT	63,0	12,5	42,5	6,44	6,60	3,84	35	3055	4700
	1,60	J	VVS 1	VG	VG		NIL	59,0	14,5	43,5	7,43	7,52	4,63	15	6630	7800
	1,74	J	VVS 2	VG	G	VG	SLIGHT	64,5	12,0	44,0	7,81	7,89	4,62	20	6000	7500
	1,74	J	VVS 2	VG	VG	VG	SLIGHT	64,0	12,0	43,5	7,83	7,90	4,63	20	6000	7500
	1,53	J	VS 2	VG	VG		NIL	58,0	14,0	43,0	7,41	7,45	4,50	31	4347	6300
	1,24	J	SI 1	VG	VG		MEDIUM	56,0	15,5	43,0	6,88	6,94	4,27	23	3619	4700
	1,01	J	SI 1	VG	VG		NIL	56,0	15,5	42,5	6,43	6,47	3,95	27	3431	4700
	1,00	J	SI 1	VG	VG		NIL	62,0	12,5	43,0	6,47	6,51	3,84	31	3243	4700
	1,24	J	SI 2	VG	VG		SLIGHT	58,0	15,0	43,5	6,88	6,92	4,24	26	3256	4400
	1,18	J	SI 2	VG	G		NIL	62,0	14,0	45,0	6,69	6,71	4,19	23	3388	4400

	1,62	K	VVS 1	VG	VG		SLIGHT	59,0	14,0	43,0	7,62	7,64	4,58	15	5355	6300	
	1,54	K	VVS 1	VG	VG		SLIGHT	58,0	15,0	44,0	7,32	7,35	4,62	20	5040	6300	
	1,22	K	VVS 2	G	G		NIL	65,0	10,5	45,0	6,96	7,01	4,13	25	3900	5200	
	1,52	K	VS 1	VG	VG		NIL	57,0	15,0	43,0	7,26	7,32	4,54	28	4248	5900	
	1,51	K	VS 2	VG	G		NIL	62,0	13,5	44,0	7,26	7,32	4,51	30	3780	5400	
	1,03	K	VS 2	VG	VG		SLIGHT	60,0	14,0	44,5	6,43	6,45	4,00	30	3080	4400	
	1,02	K	VS 2	VG	VG		NIL	62,0	13,0	43,0	6,46	6,52	3,87	30	3080	4400	
	1,01	K	VS 2	G	VG		SLIGHT	57,0	15,0	44,5	6,24	6,29	4,04	31	3036	4400	
	1,03	K	SI 1	VG	VG		NIL	59,0	14,0	43,5	6,42	6,46	3,98	30	2870	4100	
	1,10	L	LC	VG	VG		SLIGHT	58,0	15,0	44,5	6,50	6,55	4,13	24	3800	5000	
	1,20	L	VVS 1	VG	G		NIL	63,0	12,5	43,5	6,92	6,99	4,10	25	3600	4800	
	1,30	L	VVS 2	VG	G		STRONG	63,0	12,5	44,0	7,14	7,20	4,22	18	3854	4700	
	1,02	L	VS 1	VG	G		MEDIUM	64,0	12,0	44,5	6,48	6,58	3,90	28	3240	4500	
	1,45	L	VS 2	VG	G		SLIGHT	59,0	13,5	42,5	7,41	7,44	4,37	23	3157	4100	
	1,24	L	SI 1	VG	VG		NIL	61,0	12,5	44,5	7,02	7,06	4,20	29	2627	3700	
	1,21	L	SI 1	G	G	G	NONE	64,0	13,5	43,5	6,82	6,92	4,13	35	2405	3700	
	ROUNDS (0.90 - 0.99)								944								
	0,90	E	VS 2	VG	VG		NIL	55,0	16,0	43,5	6,13	6,18	3,88	23	4928	6400	
	0,90	E	SI 1	VG	G		SLIGHT	55,0	16,0	43,0	6,12	6,18	3,85	30	4130	5900	
	0,90	F	SI 2	VG	G		NIL	56,0	16,0	44,0	6,07	6,12	3,88	26	3700	5000	
	0,90	G	VVS 2	VG	VG	VG	NONE	63,8	14,5	44,0	6,04	6,09	3,87	19	5427	6700	
	0,91	G	VS 1	VG	G		MEDIUM	57,0	16,0	44,0	6,10	6,15	3,89	21	4740	6000	
	0,90	G	VS 1	VG	G		NIL	59,0	15,5	43,5	6,06	6,12	3,84	25	4500	6000	
	0,95	G	VS 2	VG	G		SLIGHT	56,0	15,5	43,0	6,25	6,29	3,91	23	4389	5700	
	0,91	G	VS 2	VG	G		NIL	61,0	14,5	43,0	6,13	6,17	3,81	25	4275	5700	
	0,90	G	VS 2	VG	G		NIL	59,0	15,5	42,5	6,14	6,17	3,78	25	4275	5700	
	0,90	G	VS 2	VG	VG		NIL	60,0	14,0	43,5	6,16	6,21	3,80	25	4275	5700	
	0,92	G	SI 1	VG	VG		SLIGHT	58,0	15,0	43,5	6,18	6,22	3,86	25	3900	5200	
	0,91	G	SI 1	VG	VG		MEDIUM	57,0	15,5	43,5	6,24	6,28	3,84	25	3900	5200	
	0,91	G	SI 1	VG	VG		SLIGHT	60,0	14,5	44,0	6,15	6,19	3,88	27	3796	5200	
	0,92	H	LC	VG	VG		SLIGHT	59,0	14,5	43,5	6,23	6,28	3,84	16	5796	6900	
	0,91	H	VVS 2	VG	VG		MEDIUM	59,0	14,0	42,5	6,29	6,34	3,75	21	4898	6200	
	0,90	H	VVS 2	VG	G		NIL	60,0	13,5	43,5	6,15	6,18	3,77	19	5022	6200	
	0,90	H	VS 1	EX	VG	VG	NONE	61,5	12,5	44,5	6,14	6,17	3,81	24	4332	5700	
	0,91	H	VS 2	G	G		SLIGHT	54,0	15,5	41,5	6,00	6,06	3,83	30	3920	5600	
	0,90	H	VS 2	VG	G		NIL	57,0	15,5	44,0	6,06	6,11	3,88	25	4050	5400	
	0,90	H	VS 2	VG	VG		NIL	58,0	15,5	43,0	6,11	6,15	3,86	25	4050	5400	
	0,90	H	VS 2	VG	G		NIL	64,0	13,0	42,5	6,17	6,20	3,70	25	4050	5400	
	0,91	H	SI 2	G	VG		NIL	61,0	14,0	42,5	6,13	6,18	3,77	33	2948	4400	
	0,91	I	LC	VG	VG		NIL	58,0	15,0	44,0	6,11	6,18	3,87	20	4640	5800	
	0,99	I	VVS 2	VG	G	G	NONE	66,0	12,0	44,5	6,42	6,61	3,85	27	3723	5100	
	ROUNDS (0.70 - 0.89)								758								
	0,80	D	VS 2	VG	VG		NIL	60,0	14,0	45,0	5,97	6,01	3,70	20	4480	5600	
	0,75	D	SI 1	VG	G		NIL	63,0	12,0	43,5	5,92	5,99	3,50	35	3120	4800	
	0,70	D	SI 1	VG	VG		NIL	58,0	14,5	42,5	5,70	5,73	3,48	25	3600	4800	
	0,84	E	VVS 1	VG	VG		NIL	63,0	12,5	44,0	6,10	6,14	3,69	16	5796	6900	
	0,82	E	VVS 1	VG	VG	VG	NONE	61,0	14,5	43,5	5,92	6,01	3,67	16	5796	6900	
	0,81	E	VVS 2	VG	VG		NIL	56,0	15,5	44,5	5,89	5,96	3,76	19	5103	6300	
	0,84	E	SI 1	EX	EX	EX	NONE	58,5	13,0	43,5	6,14	6,19	3,69	23	3542	4600	
	0,81	E	SI 2	VG	VG		NIL	56,0	16,0	42,5	6,00	6,06	3,68	26	3034	4100	
	0,72	F	VVS 2	VG	G		NIL	62,0	13,0	43,0	5,90	5,96	3,43	20	4640	5800	
	0,86	F	SI 1	VG	G		SLIGHT	59,0	14,0	42,5	6,07	6,15	3,72	21	3397	4300	
	0,70	F	SI 1	VG	G		NIL	58,0	14,0	44,0	5,69	5,72	3,53	33	2881	4300	
	0,84	F	SI 2	VG	VG		NIL	62,0	12,5	43,0	6,19	6,21	3,61	23	2926	3800	
	0,71	G	VVS 1	VG	G		SLIGHT	59,0	12,5	43,0	5,84	5,87	3,45	20	4480	5600	
	0,70	G	VVS 1	VG	VG		NIL	60,0	13,5	43,5	5,78	5,80	3,47	21	4424	5600	
	0,75	G	VS1	VG	VG	G	SLIGHT	59,5	14,5	44,0	5,74	5,80	3,62	26	3552	4800	
	0,70	G	VS 1	VG	G		STRONG	59,0	15,5	44,0	5,59	5,63	3,57	33	3216	4800	
	0,82	G	VS 2	VG	G		NIL	64,0	11,5	45,0	6,03	6,16	3,64	20	3520	4400	
	0,82	H	VS 1	EX	VG	G	NONE	58,0	15,5	44,0	5,94	5,98	3,75	18	3526	4300	
	0,81	H	VS 2	VG	EX	VG	NONE	57,5	15,0	44,5	5,90	5,92	3,77	18	3280	4000	
	0,81	H	VS 2	EX	VG	VG	RY SLIG	57,5	15,5	43,5	5,88	5,93	3,72	18	3280	4000	
	0,84	H	SI 2	VG	VG		NIL	58,0	15,0	42,5	6,03	6,05	3,72	23	2541	3300	
	0,71	H	SI 2	G	VG		SLIGHT	63,0	13,0	43,0	5,57	5,64	3,46	40	1980	3300	

	6,85	I	VS 1		G		NIL	63,0	11,0	48,0	10,05	12,37	6,15	+20	29040	24200
EMERALDS (5.00 - 5.99)																
	5,55	F	VVS 1		VG		NIL	64,0	13,5	51,5	9,78	9,93	6,56	+2	66810	65500
	5,52	G	VS 1		G		NIL	61,0	15,0	50,5	9,20	10,95	6,27	2	38808	39600
	5,62	I	VVS 1		G		NIL	62,0	14,0	50,5	8,81	11,57	5,90	6	25850	27500
	5,27	I	VVS 1		G		NIL	65,0	12,0	48,5	10,09	10,11	6,34	6	25850	27500
	5,49	I	VS 1		G		NIL	63,0	13,5	50,5	9,81	10,04	6,51	8	22264	24200
	5,45	I	VS 1		G		NIL	63,0	10,0	50,0	9,35	11,45	5,90	5	22990	24200
	5,05	J	VVS 2		VG		NIL	68,0	13,5	48,5	8,93	11,38	5,71	5	18050	19000
	5,03	J	VVS 2		VG		NIL	64,0	10,5	53,5	8,97	10,68	5,94	8	17480	19000
	5,00	J	VVS 2		G		SLIGHT	63,0	10,0	54,0	8,94	10,92	5,84	8	17480	19000
	5,04	J	VS 1		VG		NIL	59,0	18,0	48,5	8,81	10,27	6,12	18	15170	18500
	5,05	K	VS 1		VG		NIL	62,0	16,5	46,0	9,36	10,18	6,11	12	12672	14400
EMERALDS (4.00 - 4.99)																
	4,06	I	VVS 1		G		SLIGHT	62,0	15,5	52,0	8,72	8,93	6,11	6	19928	21200
	4,06	I	VVS 1		G		NIL	62,0	13,5	51,0	8,39	9,96	5,54	5	20140	21200
	4,27	I	VS 1		G		NIL	68,0	12,0	48,0	8,90	10,31	5,50	5	17670	18600
	4,35	J	VS 2		G		NIL	70,0	9,0	52,5	8,95	10,16	5,69	5	12540	13200
EMERALDS (3.00 - 3.99)																
	3,10	H	LC		G		NIL	66,0	10,0	52,5	7,67	9,05	5,05	15	18445	21700
	3,27	H	VVS 1		VG		NIL	58,0	17,5	48,0	8,12	8,50	5,45	10	18630	20700
	3,05	I	LC		VG		NIL	66,0	10,5	52,5	6,63	11,10	4,37	20	13280	16600
	3,01	I	LC		G		SLIGHT	71,0	8,0	53,0	7,75	9,45	4,95	15	14110	16600
EMERALDS (2.00 - 2.99)																
	2,01	E	VVS 1			MEDIUM	SLIGHT	65,0	9,5	57,5	6,25	8,12	4,29	30	11900	17000
	2,03	E	VVS 2		G		NIL	65,0	15,5	56,5	6,87	7,05	5,01	28	11160	15500
	2,01	F	VS 1	VG	VG		SLIGHT	59,0	15,5	52,0	6,17	8,40	4,36	35	8450	13000
	2,07	G	VVS 1		VG		NIL	60,0	13,5	45,5	6,73	8,23	4,24	18	11480	14000
	2,09	H	LC		VG		NIL	59,0	13,5	51,0	6,50	8,24	4,40	20	9600	12000
	2,08	H	LC		G		NIL	72,0	13,0	51,5	6,64	7,97	4,46	20	9600	12000
	2,28	I	LC		VG		NIL	68,0	10,0	57,0	6,77	8,51	4,57	20	7600	9500
EMERALDS (1.00 - 1.99)																
	1,53	E	VS 2		G		NIL	65,0	12,5	56,5	5,69	7,48	4,17	35	5785	8900
	1,03	E	SI 1		G		SLIGHT	57,0	16,5	57,0	4,00	8,14	3,20	45	3190	5800
	1,01	F	VVS 1	VG	G		NONE	68,5	12,5	46,0	4,96	7,02	3,04	31	5382	7800
	1,12	F	VVS 2		VG		MEDIUM	71,0	11,0	53,0	5,62	5,73	3,77	33	5092	7600
	1,01	F	VS 2	VG	G		NONE	64,5	14,5	51,0	4,75	6,77	3,39	34	4224	6400
	1,05	F	SI 1		G		NIL	59,0	17,5	49,0	4,52	7,88	3,13	45	3080	5600
	1,58	F	SI 2		G		NIL	57,0	16,5	50,0	5,64	7,98	3,98	37	4095	6500
	1,02	G	SI 1	VG	G		VERY SLIG	58,5	13,0	55,0	5,66	5,70	3,91	35	3380	5200
	1,09	I	VVS 2		VG		NIL	64,0	11,0	48,5	4,91	7,80	3,10	35	3315	5100
	1,04	I	SI 2		G		NIL	57,0	15,0	48,5	4,82	7,43	3,28	45	1925	3500
EMERALDS (0.90 - 0.99)																
	0,93	D	VS 2	G	VG		NONE	55,5	16,0	54,5	4,96	6,06	3,62	35	3835	5900
HEART (5.00 - 5.99)																
	5,01	I	VS 2		G		SLIGHT	57,0	15,0	42,0	10,59	11,15	6,96	3	21728	22400
HEART (2.00 - 2.99)																
	2,01	J	VS 2		G		NIL	55,0	13,0	41,5	8,03	8,72	5,09	28	4320	6000
HEART (0.70 - 0.99)																
	0,91	F	VS 1	VG	G		NONE	65,0	12,0	41,5	5,99	6,69	3,90	35	3705	5700
	0,73	H	VS 2	VG	G		NONE	58,5	59,0	14,5	5,54	6,27	3,67	35	2275	3500
MARQUISE (1.00 - 1.99)																
	1,35	D	LC		VG		NIL	52,0	17,0	46,0	4,96	13,67	3,38	30	9450	13500
	1,03	I	VVS 2		G		NIL	59,0	13,0	41,5	5,69	9,88	3,28	35	3315	5100
	1,04	J	SI 2		G		NIL	58,0	13,0	40,5	5,36	10,28	3,14	45	1705	3100
MARQUISE (0.60 - 0.99)																
	0,77	G	VS 1	VG	G		NONE	55,5	14,5	46,5	4,83	8,56	3,22	35	2795	4300
OVALS (1.00 - 1.99)																
	1,03	F	SI 2	VG	G		NIL	57,0	15,0	44,5	5,80	7,37	3,65	37	3024	4800
	1,19	H	VVS 2		G		NIL	55,0	16,0	44,5	5,69	7,87	3,78	32	3876	5700
	1,04	I	LC		G		NIL	58,0	15,0	44,5	5,74	7,43	3,69	30	3850	5500
	1,04	K	VS 2		G		NIL	61,0	14,5	44,5	5,86	7,62	3,68	40	2040	3400
	1,37	K	SI 2	G	G		STRONG	60,5	15,5	49,0	6,15	8,38	4,19	40	1680	2800
	1,59	L	LC		G		NIL	59,0	14,5	40,5	6,74	9,21	3,96	30	5530	7900

OVALS (0.70 - 0.99)																
	0,91	E	VS 2		G		NIL	61,0	18,5	45,5	5,14	6,82	3,64	40	3420	5700
	0,91	G	VS 2		G		NIL	56,0	15,0	44,0	5,64	7,48	3,53	30	3570	5100
	0,91	H	VVS 1		VG		NIL	67,0	11,0	39,0	5,90	7,56	3,23	30	3570	5100
	0,87	J	VVS 2		G		NIL	65,0	13,0	40,0	5,64	7,14	3,21	25	2250	3000
	0,91	L	VS 2		G		NIL	64,0	12,5	43,0	5,46	7,61	3,29	40	1440	2400
PEARS (2.00 - 2.99)																
	2,12	H	SI 2	VG	G		VERY SL	58,5	13,0	42,5	7,28	11,64	4,25	30	4620	6600
	2,01	I	SI 1		G		NIL	55,0	14,5	48,0	6,89	9,87	4,75	28	5040	7000
PEARS (1.00 - 1.99)																
							825	ratio top 0665								
	1,00	D	VVS 2		G		SLIGHT	57,0	19,0	35,0	5,25	7,90	3,32	33	5427	8100
	1,04	D	SI 1	G	G		NONE				5,63	8,81	3,61	28	4392	6100
	1,01	E	VVS 1		G		NIL	58,0	11,5	46,5	5,44	9,17	3,31	29	5751	8100
	1,20	E	VS 2		G		STRONG	62,0	19,5	48,0	5,62	8,25	4,15	40	4080	6800
	1,11	E	SI 1	G	G		MEDIUM BL	65,0		57,2	6,24	8,49	3,57	37	3654	5800
	1,03	E	SI 1	G	G		NONE	57,0	14,5	39,5	5,77	8,11	3,55	39	3538	5800
	1,00	F	VS 2	VG	VG		FAINT				5,42	8,69	3,47	29	4544	6400
	1,13	F	SI 2		G		SLIGHT	55,0	16,5	43,0	5,75	9,46	3,67	36	3072	4800
	1,00	F	SI 2	G	VG		NONE				5,61	8,69	3,43	30	3360	4800
	1,06	G	VVS 2		G		NIL	57,0	15,5	44,5	5,61	8,54	3,65	27	5256	7200
	1,01	G	VVS 2	EX	VG		NONE				5,69	8,81	3,45	27	5256	7200
	1,81	G	VS 2	VG	G		NONE	65,4	13,5	46,5	6,67	10,51	4,36	16	6720	8000
	1,79	G	SI 1		G		MEDIUM	52,0	14,0	33,0	7,23	11,01	3,87	20	5760	7200
	1,10	H	LC		G		MEDIUM	57,0	15,0	44,0	5,89	8,98	3,62	35	4160	6400
	1,00	H	VS 2		G		STRONG	60,0	15,5	42,0	5,52	8,48	3,50	28	3528	4900
	1,02	H	SI 1		G		NIL	57,0	16,5	43,5	5,63	8,45	3,59	28	3168	4400
	1,00	H	SI 1		VG		NIL	58,0	14,0	42,5	5,82	8,55	3,43	28	3168	4400
	1,04	H	SI 2	VG	VG		NONE				5,80	8,72	3,57	29	2769	3900
PEARS (0.50 - 0.99)																
	0,91	E	SI 2		G		NIL	58,0	14,5	44,5	5,52	8,20	3,44	31	3105	4500
	0,57	G	VVS 2		G		SLIGHT	57,0	10,5	42,0	5,07	7,08	2,80	28	2304	3200
	0,90	G	VS 2		G		MEDIUM	58,0	15,0	43,5	5,54	7,95	3,51	30	3570	5100
	0,91	G	SI 1		G		NIL	58,0	14,0	44,5	5,62	8,31	3,42	25	3450	4600
	0,87	G	SI 2	G	G		NONE	56,0	18,0	48,0	5,34	7,64	3,65	37	1890	3000
PRINCESS (4.00 - 5.99)																
	5,09	F	SI 1	G	VG		STRONG BLUE				9,39	9,88	6,85	23	19635	25500
PRINCESS (3.00 - 3.99)																
	3,05	I	LC		G		NIL	72,0	9,0	61,5	7,97	8,37	5,77	17	13778	16600
	3,14	J	VVS 2		VG		NIL	64,0	11,5	53,0	8,19	8,21	5,51	15	9180	10800
	3,08	J	VVS 2		G		SLIGHT	79,0	8,5	60,5	8,03	8,06	5,74	18	8856	10800
PRINCESS (2.00 - 2.99)																
	2,01	E	VS 1	VG	VG		NONE				6,78	6,87	4,99	30	10150	14500
	2,00	E	VS 1	VG	VG		NONE				6,67	6,71	5,29	32	9860	14500
	2,01	F	VS 1	VG	EX		NONE				6,79	6,82	4,99	30	9100	13000
	2,12	J	VS 2		G		NIL	72,0	11,0	65,5	6,73	7,04	5,28	30	4200	6000
PRINCESS (1.00 - 1.99)																
	1,01	E	SI 1		G		NIL	66,0	10,5	63,5	5,43	5,49	4,18	35	3770	5800
	1,01	E	SI 1		G		SLIGHT	78,0	11,5	63,5	5,37	5,42	4,11	34	3828	5800
	1,03	F	VS 1	EXC	VG		NONE	69,0		74,9	5,33	5,39	3,99	34	4686	7100
	1,01	F	VS 2		G		NIL	62,0	17,0	61,5	5,20	5,41	4,29	33	4288	6400
	1,13	G	LC		VG		NIL	72,0	16,0	51,0	5,62	5,69	4,00	27	5694	7800
	1,04	G	LC		G		SLIGHT	67,0	16,0	57,5	5,29	5,30	4,19	28	5616	7800
	1,00	G	LC		G		NIL	76,0	7,5	63,0	5,47	5,51	4,10	30	5460	7800
	1,01	G	VS 1	G	VG		NONE				5,33	5,42	4,03	27	4891	6700
	1,21	G	VS 2	VG	G		NONE	72,0	11,5	57,5	5,74	5,78	4,25	25	4575	6100
	1,02	H	LC		G		NIL	69,0	11,5	57,0	5,62	5,67	3,96	28	4608	6400
	1,01	H	VVS 2		VG		NIL	76,0	7,5	62,0	5,59	5,75	4,00	30	3990	5700
	1,01	H	VS 2	VG	G		NONE	63,5	15,0	60,5	5,21	5,40	4,21	35	3185	4900
	1,01	I	SI 1		G		NIL	72,0	10,5	59,0	5,51	5,58	3,94	35	2600	4000
	1,01	K	VS 1		G		NIL	58,0	19,5	62,0	5,00	5,33	4,32	36	2304	3600
PRINCESS (0.60 - 0.99)																
	0,83	G	LC		VG		SLIGHT	73,0	14,0	55,5	5,01	5,05	3,68	28	3888	5400
	0,79	G	SI 2	VG	VG		NONE				4,88	5,00	3,85	34	1980	3000
	0,82	H	VVS 1	VG	G		NONE	69,0	15,0	57,5	5,09	5,10	3,82	30	3080	4400

	0,64	H	VS 1	VG	G		NONE				4,50	4,53	3,74	38	2046	3300
	0,95	H	SI 2		G		NIL	65,0	14,0	61,0	4,99	5,13	4,21	35	2340	3600
	0,74	I	VS 2		G		NIL	76,0	9,0	66,0	4,74	4,94	3,75	35	1885	2900
	0,74	I	VS 2		VG		NIL	73,0	12,0	65,0	4,70	4,70	3,86	35	1885	2900
PRINCESS (0.40 - 0.59)																
	0,41	E	SI 1	VG	VG		VERY SL	78,5	9,0	54,5	4,01	4,32	2,72	35	1365	2100
RADIANT (4.00-5.99)																
	5,01	I	SI 1		G		NIL	64,0	10,5	56,5	9,25	10,18	6,40	6	15134	16100
	4,54	J	VVS 2		VG		NIL	64,0	13,0	44,5	10,33	11,55	6,22	3	14356	14800
RADIANT (3.00-3.99)																
	3,01	G	VVS 2		G		NIL	69,0	11,0	57,0	7,80	8,86	5,54	12	20592	23400
	3,04	J	VS 2		G		NIL	61,0	18,5	54,5	7,46	8,27	5,67	15	7735	9100
RADIANT (1.00-1.99)																
	1,04	G	VS 2		VG		SLIGHT	67,0	13,0	56,5	5,44	5,74	3,96	30	4270	6100
	1,01	H	VS 1		G		NIL	68,0	12,5	55,5	5,26	5,96	3,81	30	3780	5400
	1,04	H	VS 2		G		NIL	67,0	13,5	57,0	5,20	6,27	3,78	35	3185	4900
	1,09	H	SI 1		VG		NIL	76,0	10,5	55,5	5,41	5,74	3,92	34	2904	4400
TRILLIANT (2.00 - 2.99)																
	2,15	H	VS 1		G		NIL	75,0	4,0	26,0	10,62	10,94	3,52	35	6175	9500